



SAFETY DATA SHEET

Prime Exposure Pty Ltd
Product: Prime Penetrator
Page 1 of 12
Date of Issue: November 2022

SECTION 1 – IDENTIFICATION OF MATERIAL AND SUPPLIER

SUPPLIER: Prime Exposure Pty Ltd
ABN: 74 495 383 883
PHYSICAL ADDRESS: 8-10 Wadhurst Drive, Boronia, VIC 3155, Australia.
POSTAL ADDRESS: PO Box 5109, Brandon Park, VIC 3150, Australia.
TELEPHONE: (03) 9800 0431.
AH EMERGENCY TELEPHONE: 13 1126 (Poisons Information Centre).
WEB PAGE: www.primeexposure.com.au

Product name: Prime Penetrator.
Proper shipping name or technical name: Not applicable.
Product use: Oil & Water-repellent Waterborne Sealer.
Manufacturer's product code: Not applicable.
Creation date: 2 November 2022.
Revision date: Before 1 November 2027.

SECTION 2 – HAZARDS IDENTIFICATION

This product is classified as a **NON-HAZARDOUS CHEMICAL** in accordance with the WHS and as **NON-HAZARDOUS** in accordance with the GHS, and as **NON-DANGEROUS GOODS** according to the ADG Code.

CLASSIFICATION:

Hazardous classes & categories:	Hazard classes	Hazard category
Physical:	Not applicable.	Not applicable.
Health:	Sensitisation - skin.	1.
Environmental:	Not applicable.	Not applicable.

LABEL ELEMENTS:

Signal word: **WARNING.**

Hazard statements: **May cause an allergic skin reaction.**

Precautionary statements:

Prevention:	Avoid breathing mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves.
Response:	IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Storage:	Not applicable.
Disposal:	Dispose of contents/container to appropriate waste site or reclaimer in accordance with local and national regulations.
General:	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.

Pictogram(s):

Pictogram(s) description: Exclamation mark

Other hazards which do not result in classification: Not applicable.



SAFETY DATA SHEET

Prime Exposure Pty Ltd
Product: Prime Penetrator
Page 2 of 12
Date of Issue: November 2022

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:	Proportion:
Fluorochemical Resin (Non-hazardous)	Not available	< 10 % w/w
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1)	55965-84-9	< 0.01 % w/w
Copper compounds	Not available	< 0.001 % w/w
Methylisothiazolone	2682-20-4	< 0.0005 % w/w
Non-hazardous ingredients (including water)	Not available	To 100 % w/w
Total		100 % w/w

SECTION 4 – FIRST AID MEASURES

General information:	Show this safety data sheet to the doctor in attendance. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice. In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Scheduled poisons:	Poisons Information Centre in each Australian State capital city can provide additional assistance for scheduled poisons. (Phone Australia 13 1126) or a doctor (at once).
First aid facilities required:	Eye wash fountains and a general washing facility should be easily accessible in the immediate work area.
Necessary first aid measures:	
Inhalation:	If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. In all cases of doubt, or when symptoms persist get medical attention.
Skin contact:	If skin contact occurs: Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Do not use solvents or thinners Get medical attention.
Eye contact:	If in eyes: Hold eyelids apart and flush the eye continuously with running water. Check for and remove any contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Get medical attention.
Ingestion (swallowed):	If ingested: Rinse mouth out with water (only if the person is conscious). Remove victim to fresh air and keep at rest in a position comfortable for breathing. Never give anything by mouth to an unconscious person. DO NOT induce vomiting unless directed to do so by medical personnel. Get medical attention.
Symptoms caused by exposure:	
Inhalation:	Inhalation may provoke the following symptoms: Lung oedema; Shortness of breath.
Skin contact:	May cause an allergic skin reaction. Contact with skin may result in irritation.
Eye contact:	May cause eye irritation. Eye contact may provoke the following symptoms: Tearing; Redness; Discomfort.
Ingestion (swallowed):	Swallowing may result in nausea, vomiting and irritation of the gastrointestinal tract.
Protection of first-aiders:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).



SAFETY DATA SHEET

Prime Exposure Pty Ltd
Product: Prime Penetrator
Page 3 of 12
Date of Issue: November 2022

SECTION 4 – FIRST AID MEASURES (CONTINUED)

Advice to doctor:	No specific antidote. Treat symptomatically. Poisons Information Centre in each Australian State capital city can provide additional assistance for scheduled poisons.
--------------------------	--

SECTION 5 – FIRE FIGHTING MEASURES

Suitable extinguishing media:	Dry chemical, carbon dioxide (CO ₂), water spray mist, alcohol resistant foam. Cool containers/ tanks with water spray or regular foam.
Unsuitable extinguishing media:	Strong water jet.
Specific hazards arising from the chemical:	Vapours may form explosive mixtures with air. Do not breathe gas/fumes/vapour/spray. Exposure to combustion products may be a hazard to health.
Special protective equipment and precautions for fire fighting:	In case of a large fire or in confined or poorly ventilated spaces, wear full fire-resistant protective clothing and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. Do not allow run-off from fire-fighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. If safe to do so, remove container(s) from the path of the fire if it can be done without risk. Do not scatter spilled material with high-pressure water streams. Dyke for later disposal. Use extinguishing agents for surrounding fire.
Hazchem code:	Not applicable.
ANZERGB:	Not applicable.
Flash point:	> 93°C.
Flammability:	Product is not classified as combustible liquid. Incomplete combustion and thermolysis may produce gases of varying toxicity such as hydrogen fluoride (HF); carbonyl fluoride, potentially toxic fluorinated compounds, aerosolised particulates, carbon monoxide (CO), carbon dioxide (CO ₂), and other toxic gases. These may be highly dangerous if inhaled in confined spaces or at high concentration.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	
General information:	Except in case of small spillages, the feasibility of any actions should always be assessed and advised, if possible, by a trained, competent person in charge of managing the emergency. If required, notify relevant authorities according to all applicable regulations. Evacuate non-essential personnel. For personal protection see section 8. Stop or contain leak at the source, if safe to do so. Ensure adequate ventilation. Do not breathe vapours.
Advice for non-emergency personnel:	Do not touch or walk through spilled material, product may represent slip hazard. For personal protection see section 8.



SAFETY DATA SHEET

Prime Exposure Pty Ltd
Product: Prime Penetrator
Page 4 of 12
Date of Issue: November 2022

SECTION 6 – ACCIDENTAL RELEASE MEASURES (CONTINUED)

Advice for emergency responders:	Take all appropriate steps to avoid slip hazards to the rescuers. In case of spillages: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
Environmental precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up:	Soak up with inert absorbent material (e.g. dry sand or earth). For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. The waste material can be disposed of by incineration (preferably high temperature) by an approved agent according to local conditions.
Reference to other sections:	See Section 7 for information on safe handling; See Section 8 for information on personal protection equipment; See Section 13 for information on disposal.
Other information:	Recommended measures are based on the most likely spillage scenarios for this material. Local regulations may also prescribe or limit actions to be taken.

SECTION 7 – HANDLING AND STORAGE

Precautions for safe handling:	
Advice on safe handling:	Do not get on skin or clothing. Avoid breathing mist or vapours. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Take care to prevent spills, waste and minimize release to the environment. Use only with sufficient ventilation. Respiratory protection is necessary where aerosol or mist formation occurs. Refer to Section 8.
Technical measures:	See Engineering measures and put on appropriate personal protective equipment, where required (see Section 8).
Prevention of fire and explosion:	Refer to State Regulations for storage and transport requirements.



SAFETY DATA SHEET

Prime Exposure Pty Ltd
Product: Prime Penetrator
Page 5 of 12
Date of Issue: November 2022

SECTION 7 – HANDLING AND STORAGE (CONTINUED)

Hygiene measures:

If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Wash contaminated clothing before re-use. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities:

Technical measures/storage conditions:

Store in accordance with local regulations. Store in properly labelled original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Materials to avoid:

Strong oxidising agents.

Packaging material:

Plastic or coated steel containers.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure control measures:

Exposure standards time-weighted average (TWA):

Workplace Exposure Standards for Airborne Contaminants (as published by Safework Australia):

Time-weighted Average (TWA): None established for product.

TWA for Carbon Dioxide is 5,000 ppm, 9,000 mg/m³ (Safework Australia).

TWA for Carbon Monoxide is 30 ppm, 34 mg/m³ (Safework Australia).

TWA for Carbonyl Fluoride is 2 ppm, 5.4 mg/m³ (Safework Australia).

TWA for Hydrogen Fluoride (as F) is 3 ppm (Peak limitation); 2.6 mg/m³ (Peak limitation), (Safework Australia).

Exposure standards short term exposure limit (STEL):

Short Term Exposure Limit (STEL): None established for product.

STEL for Carbon Dioxide is 30,000 ppm, 54,000 mg/m³ (Safework Australia).

STEL for Carbonyl Fluoride is 5 ppm, 13 mg/m³ (Safework Australia).

Exposure standards notice:

Not applicable.

Biological monitoring:

Biological Exposure Determinants: None established for product.

BEI for Carbon Monoxide as Carboxyhaemoglobin in blood is 3.5% of haemoglobin to be sampled at end of shift (ACGIH).

BEI for Carbon Monoxide as Carbon monoxide in end-exhaled air is 20 ppm to be sampled at end of shift (ACGIH).

Engineering controls:

Processing may form hazardous compounds (see section 10). Ensure adequate ventilation, especially in confined areas. Minimise workplace exposure concentrations. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.



SAFETY DATA SHEET

Prime Exposure Pty Ltd
Product: Prime Penetrator
Page 6 of 12
Date of Issue: November 2022

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION (CONTINUED)

Individual protection measures:	
General protective & hygiene measures:	The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
Eye and face protection:	The use of face shields, chemical goggles, or safety glasses with side shield protection (meeting the requirements of AS/NZS 1337) is recommended.
Skin protection:	Chemical resistant impervious gloves (e.g. Neoprene gloves complying with AS/NZS 2161) are recommended. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Clothing:	Suitable protective clothing complying with AS/NZS 4501, suitable footwear complying with AS/NZS 2210 are recommended.
Respiratory protective equipment:	If adequate local exhaust ventilation is not available or if exposure standards are exceeded then use a full face air purifying respirator (with Filter for combined particulates and hydrogen fluoride gas/vapour type) meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Low viscosity liquid.
Colour:	Slightly opaque, yellowish.
Odour:	Odourless.
Melting point / freezing point:	Not available.
Boiling point / initial boiling point & boiling range:	Ca. 100°C @ 760 mm Hg.
Flammability:	Not available.
Lower & upper explosion limit / flammability limit:	Not available.
Flash Point:	> 93°C.
Auto-ignition temperature:	Not available.
Decomposition temperature:	> 200°C.
pH:	Not applicable.
Viscosity:	Not available.
Solubility:	Miscible with water.
Partition coefficient: n-octanol/water (log value):	Not available.
Vapour pressure:	Not available.
Density & / or relative density:	Ca. 1.
Relative vapour density:	> 1 (air = 1).
Particle characteristics:	Not applicable.



SAFETY DATA SHEET

Prime Exposure Pty Ltd
Product: Prime Penetrator
Page 7 of 12
Date of Issue: November 2022

SECTION 10 – STABILITY AND REACTIVITY

Reactivity:	Not classified as a reactivity hazard.
Chemical stability:	Stable under recommended storage conditions at normal temperatures and pressure.
Possibility of hazardous reactions:	Vapours may form explosive mixture with air. Can react with strong oxidising agents. Hazardous decomposition products will be formed at elevated temperatures. May ignite with sources of ignition.
Conditions to avoid:	Elevated temperatures.
Incompatible materials:	Strong oxidising agents.
Hazardous decomposition products:	None under normal use. Incomplete combustion and thermolysis may produce gases of varying toxicity such as hydrogen fluoride (HF); carbonyl fluoride, potentially toxic fluorinated compounds, aerosolised particulates, carbon monoxide (CO), carbon dioxide (CO ₂), and other toxic gases.

SECTION 11 – TOXICOLOGICAL INFORMATION

Acute toxicity data (oral):	No data for product. Product is not classified as Acute Toxicity – oral.
Acute toxicity data (dermal):	No data for product. Product is not classified as Acute Toxicity – dermal.
Acute toxicity data (inhalation):	No data for product. Product is not classified as Acute Toxicity – inhalation.
Skin corrosion/irritation:	No data for product. Product is not classified as Skin corrosion/irritation.
Eye damage/irritation:	No data for product. Product is not classified as Eye damage/irritation.
Respiratory or Skin Sensitisation:	Product is classified as Sensitisation – skin, Category 1, May cause an allergic skin reaction. Product is not classified as Sensitisation – respiratory.
Germ cell mutagenicity:	No data for product. Product is not classified under Germ cell mutagenicity.
Carcinogenicity:	No data for product. Product is not classified under Carcinogenicity.
Reproductive toxicity:	No data for product. Product is not classified as Toxic to reproduction.
Specific target organ toxicity (STOT) – single exposure:	No data for product. Product is not classified under Specific target organ toxicity (single exposure).
Specific target organ toxicity (STOT) – repeated exposure:	No data for product. Product is not classified under Specific target organ toxicity (repeated exposure).
Aspiration hazard:	No data for product. Product is not classified as Aspiration hazard.
Information on Possible Routes of Exposure:	Eyes, skin, mouth.
Inhalation:	Inhalation may provoke the following symptoms: Lung oedema; Shortness of breath.
Skin contact:	May cause an allergic skin reaction. Contact with skin may result in irritation.
Eye contact:	May cause eye irritation. Eye contact may provoke the following symptoms: Tearing; Redness; Discomfort.
Ingestion (swallowed):	Swallowing may result in nausea, vomiting and irritation of the gastrointestinal tract.
Other health effects:	Not applicable.



SAFETY DATA SHEET

Prime Exposure Pty Ltd
Product: Prime Penetrator
Page 8 of 12
Date of Issue: November 2022

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity:	This product is not classified as Harmful to aquatic life (according to GHS) and is not classified as Environmentally hazardous substance (according to the ADG Code).
Fish toxicity:	No data for product.
Invertebrates toxicity:	No data for product.
Algae toxicity:	No data for product.
Toxicity to microorganisms:	No data for product.
Information about elimination (persistence & degradability):	Product may be persistent and not readily biodegradable.
Bioaccumulative potential:	Product may represent bioaccumulative potential.
Mobility in soil:	Given its physical and chemical characteristics, the product may be mobile in the ground. The product is miscible with water and may contaminate ground water.
Other adverse effects:	No information available.
General:	DO NOT DISCHARGE INTO DRAINS, WATERWAYS, SEWER OR ENVIRONMENT. Product is partially miscible with water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Inform local authorities if this occurs.

SECTION 13 – DISPOSAL CONSIDERATIONS

Disposal methods:	
Product:	Should not be released into the environment. Recommended to be handed over to hazardous waste disposers or licensed chemical waste collection agent and adhering to the applicable relevant Commonwealth, state, territory and local government regulations.
Uncleaned packaging:	Empty containers may contain residues of product. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Other information:	Refer to section 8 for safety and protective measures for disposal personnel.

SECTION 14 – TRANSPORT INFORMATION

Road & rail transport:	This material is not classified as DANGEROUS GOODS, according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).
UN number:	Not applicable.
Proper shipping name or technical name:	Not applicable.
ADG transport hazard class:	Not applicable.
Packing group:	Not applicable.
Hazchem code:	Not applicable.
ANZERG:	Not applicable.



SAFETY DATA SHEET

Prime Exposure Pty Ltd
Product: Prime Penetrator
Page 9 of 12
Date of Issue: November 2022

SECTION 14 – TRANSPORT INFORMATION (CONTINUED)

Marine transport:	This material is not classified as DANGEROUS GOODS and is not classified as a MARINE POLLUTANT by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
UN number:	Not applicable.
Proper shipping name or technical name:	Not applicable.
IMDG hazard class:	Not applicable.
Packing group:	Not applicable.
Air transport:	This material is not classified as DANGEROUS GOODS, by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.
UN number:	Not applicable.
Proper shipping name or technical name:	Not applicable.
IATA hazard class:	Not applicable.
Packing group:	Not applicable.
Hazard class label:	Not applicable.

SECTION 15 – REGULATORY INFORMATION

Compliance with international agreements:	
Basel Convention:	This product is not subject to the Basel Convention (Hazardous waste).
MARPOL:	This product is not subject to the International Convention for the Prevention of Pollution from Ships (MARPOL).
Montreal Protocol:	This product is not subject to the Montreal Protocol (Ozone depleting substances).
The Rotterdam Convention:	This product is not subject to the Rotterdam Convention (Prior Informed Consent).
The Stockholm Convention:	This product is not subject to the Stockholm Convention (Persistent Organic Pollutants).
Australian Standards:	<p>AS/NZS 1337.1:2010: Personal eye protection – Eye and face protectors for occupational applications.</p> <p>AS/NZS 1715:2009: Selection, use and maintenance of respiratory protective equipment.</p> <p>AS/NZS 1716:2012: Respiratory protective devices.</p> <p>AS 1940:2017: The storage and handling of flammable and combustible liquids.</p> <p>AS/NZS 2161.1:2000: Occupational protective gloves: Selection, use and maintenance.</p> <p>AS/NZS 2161.2:2005: Occupational protective gloves: General requirements.</p> <p>AS/NZS 2161.10.1:2005: Occupational protective gloves: Protective gloves against chemicals and micro-organisms —Terminology and performance requirements.</p> <p>AS/NZS 2161.10.2:2005: Occupational protective gloves: Protective gloves against chemicals and micro-organisms—Determination of resistance to penetration.</p>



SAFETY DATA SHEET

Prime Exposure Pty Ltd
Product: Prime Penetrator
Page 10 of 12
Date of Issue: November 2022

SECTION 15 – REGULATORY INFORMATION (CONTINUED)

	AS/NZS 2161.10.3:2005: Occupational protective gloves: Protective gloves against chemicals and micro-organisms—Determination of resistance to permeation by chemicals.
	AS/NZS 2210.1:2010: Safety, protective and occupational footwear - Guide to selection, care and use.
	AS/NZS 2210.2:2009: Occupational protective footwear - Test methods (ISO 20344:2004, MOD).
	AS/NZS 2210.4:2009: Occupational protective footwear - Specification for protective footwear (ISO 20346:2004, MOD).
	AS/NZS 4501.1:2008: Occupational protective clothing - Guidelines on the selection, use, care and maintenance of protective clothing.
	AS/NZS 4501.1:2008: Occupational protective clothing - General requirements.
ADG Code:	Australian Code for the Transport of Dangerous Goods by Road and Rail, Edition 7.7, Published by National Transport Commission, Melbourne
AICIS:	All ingredients present on the Australian Inventory of Industrial Chemicals (AIIC).
GHS:	Globally Harmonized System of Classification and Labelling of Chemicals, 7 th Revised Edition (GHS 7), Published by United Nations, New York and Geneva.
SUSMP:	No Schedule Number allocated against the Standard for the Uniform Scheduling of Medicines and Poisons, No. 37, October 2022, Therapeutic Goods Administration, Woden.

SECTION 16 – OTHER INFORMATION

Acronyms and Comments:

ACGIH:	American Conference of Industrial Hygienists.
ADG Code:	Australian Code for the Transport of Dangerous Goods by Road and Rail.
ANZERGB:	Australian & New Zealand Emergency Response Guide Book (2021). This guidebook is published by the Competent Authorities Panel (CAP), a national body comprising state and territory Competent Authorities for the transport of dangerous goods by road and rail in Australia. Further information is available at https://www.ntc.gov.au/codes-and-guidelines/australian-dangerous-goods-code
AICIS:	Australian Industrial Chemicals Introduction Scheme which replaced National Industrial Chemicals Notification and Assessment Scheme (NICNAS).
AS:	Standards issued by Standards Australia, GPO Box 476, Sydney NSW 2001, Australia.
AS/NZ:	Standards issued by Standards Australia, GPO Box 476, Sydney NSW 2001, Australia and Standards New Zealand, Private Bag 2439 Wellington 6140, New Zealand.
Basel Convention:	The Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.
BEI:	Biological Exposure Indices published by the American Conference of Governmental Industrial Hygienists (ACGIH), 1330 Kemper Meadow Drive, Cincinnati, OH 45240-4148, USA.
CAS number:	Chemical Abstracts Service Registry Number.



SAFETY DATA SHEET

Prime Exposure Pty Ltd
Product: Prime Penetrator
Page 11 of 12
Date of Issue: November 2022

SECTION 16 – OTHER INFORMATION (CONTINUED)

GHS:	Globally Harmonized System of Classification and Labelling of Chemicals, a globally harmonised system for classification and labelling of chemicals proposed by the United Nations.
Hazchem:	An emergency action code of numbers and letters which gives information to emergency services.
IARC:	International Agency for Research on Cancer.
IMDG:	International Maritime Dangerous Goods Code for transport by sea.
LC/LD:	The median lethal dose, LD ₅₀ (abbreviation for "lethal dose, 50%"), LC ₅₀ (lethal concentration, 50%) is the dose required to kill half the members of a tested population after a specified test duration. LD ₅₀ figures are frequently used as a general indicator of a substance's acute toxicity.
MARPOL:	International Convention for the Prevention of Pollution from Ships.
Montreal Protocol:	The Montreal Protocol on Substances that Deplete the Ozone Layer, as adjusted and/or amended.
NTP:	National Toxicology Program (USA Department of Health and Human Services).
OSHA:	Occupational Safety and Health Administration (USA).
PE/EVAL/PE	Polyethylene/Ethylene-vinyl alcohol or EVOH/Polyethylene.
PPE:	Personal Protective Equipment.
Rotterdam Convention:	The Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.
Safe Work Australia:	Safe Work Australia was formerly the Australian Safety and Compensation Council, which included the National Occupational Health and Safety Commission (NOHSC).
SDS:	Safety Data Sheet.
STEL:	Exposure standard - short term exposure limit, a 15-minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.
Stockholm Convention:	The Stockholm Convention on Persistent Organic Pollutants.
SUSMP:	Standard for the Uniform Scheduling of Medicines and Poisons.
TDL₀:	Total Dose Low means the smallest deadly dose, which caused a toxic or other harmful effect after application on humans or animal.
TWA:	Exposure standard - time-weighted average, the average airborne concentration of a particular substance when calculated over a normal eight hour working day, for a five-day working week.
UN number:	United Nations Number.
WHS:	Model work health and safety legislation introduced by the Australian government which consists of an integrated package of a model Work Health and Safety (WHS) Act, supported by model Work Health and Safety (WHS) Regulations, model Codes of Practice and a National Compliance and Enforcement Policy. The WHS Regulations implement a new system of chemical hazard classification, labelling and safety data sheet requirements based on the GHS.



SAFETY DATA SHEET

Prime Exposure Pty Ltd
Product: Prime Penetrator
Page 12 of 12
Date of Issue: November 2022

SECTION 16 – OTHER INFORMATION (CONTINUED)

Issue date:	2 November 2022.
Supersedes issue date:	Not applicable.
Revision information:	New issue
Contact point:	Regulatory Affairs Manager.
Telephone:	(03) 9800 0431.
Note:	Safety Data Sheets are updated frequently. Please ensure that you have a current copy.
Disclaimer:	This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since Prime Exposure Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. This SDS does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.